



PROTUPOŽARNA
SIGURNOST

OTPORNOST
NA KLIMATSKE UVJETE



ZVUČNA IZOLACIJA

PROTUPROVALNA
ZAŠTITA



SECURALINE

MODERNA VRATA ZA OBJEKTE

DIMONEPROPUJSTNOST





CERTIFICIRANI INSTITUTI, S KOJIMA SUDJELUJE LIP BLED:

- ZAG Ljubljana (SI) (www.zag.si)
- LTM (HR) (www.ltm.hr)
- EMI Budimpešta (H) (www.emi.hu)
- PAVUS Prag (CZ) (www.pavus.cz)
- DIBT Berlin (D) (www.dibt.de)
- IFT Rosenheim (D) (www.ift-rosenheim.de)
- Pfb Rosenheim (D) (www.pfb-rosenheim.de)
- VKF Bern (CH) (www.praever.ch)
- Lignotesting Bratislava (SK) (www.lignotesting.sk)
- IBS Linz (A) (www.ibs-austria.at)



OTPORNOST NA KLIMU

Standardna sobna vrata postižu otpornost na klimu A2.
A za ulazna vrata u stan predlažemo kategorije B2 ili C2.



SIGURNA OD POŽARA

Certificirana požarna vrata ograničavaju prolazak vatre, temperature i dima u druge prostorije. U slučaju požara omogućavaju sigurnu evakuaciju ljudi i imovine.



PROTUPROVALNA ZAŠTITA



ZVUČNA IZOLACIJA

Različiti tipovi vrata u zgradi postižu zvučnu izolaciju od 25 do 39 dB. Za ulaz u stan preporučujemo kategoriju SSK3 (35–39 dB).



ODLIČNA KVALITETA
KOJA SPRJEČAVA
PROLAZAK
VATRE I DIMA!





**CERTIFICIRANA
ZA 30-MINUTNU
OTPORNOST NA VATRU**

Sigurnosna brava, koju nudi protuprovalni razred RC2, dovoljan je da provalnik odustane od provale.



DIMONEPROPUSTNOST

Tijesna dimna blokada s razredom dimonepropustnosti (S200) pri visokim tlakovima i dimnoj temperaturi do 200 ° C.

